Second Printing



MATERIAL SAFETY DATA SHEET

MULTINATONI ELI DAIA OLIEI

(Essentially similar to U.S. Department of Labor Form OSHA-20)

Do Not Duplicate This Form. Request an Original



F-4716

I. PRODUCT IDENTIFICATION

PRODUCT 75% A	rgon-25% Helium	Mixture (High Pressure Ga	as Mixture)				
CHEMICAL NAME							
SYNONYMS				CHEMICAL FAMILY			
FORMULA Mixture of Argon + Helium				MOLECULAR WEIGHT			
TRADE NAME		He-25		***			
		II. HAZARDOUS	SINGREDII	ENTS			
	For mixtures of th	is product request the resp	ective compo	nent Material Safe	ety Data Sl	neets	
MATERIAL	. Wt (%)	ACGIH 1979 TLV-TWA (Units)	MA	TERIAL	Wt(%)	ACGIH TLV-TWA (Units)	
Argon Helium	75 25	Simple Asphyxiant Simple Asphyxiant					
	' '	III. PHYSIC	AL DATA	•			
BOILING POINT, 760 mm. Hg				FREEZING POINT			
SPECIFIC GRAVITY (H ₂ O = 1)		Gas	VAPOR PRESSURE		URE AT 2	AT 20°C. Gas	
VAPOR DENSITY (air = 1) 1.07		1.07	SOLUBILITY IN Negli WATER, % by wt.		Negligible		
PER CENT VOLATILES		100		EVAPORATION RATE N/A			

APPEARANCE AND ODOR

BY VOLUME

Colorless; odorless.

IV. FIRE AND EXPLOSION HAZARD DATA

(Butyl Acetate = 1)

FLASH POINT (test method)	N/A	AUTOIGNITION N/A TEMPERATURE				
FLAMMABLE LIMITS IN AIR, % by volume		LOWER	N/A	UPPER	N/A	

EXTINGUISHING MEDIA

Gas mixture cannot catch fire. Use media appropriate for surrounding fire.

SPECIAL FIRE FIGHTING PROCEDURES

Evacuate all personnel from danger area. Immediately deluge containers with water spray from maximum distance until cool, then move containers away from fire area if without risk.

UNUSUAL FIRE AND EXPLOSION HAZARDS

Gas mixture cannot catch fire. Container may rupture due to heat of fire. No part of a container should be subjected to a temperature higher than 52°C (approximately 125°F). Containers are provided with pressure relief devices that are designed to vent the contents when they are exposed to elevated temperature.

EMERGENCY PHONE NUMBER

IN CASE OF EMERGENCIES involving this material, further information is available at all times at this/telephone humber

304: 744-3487

For routine information contact your local Linde Supplier.

While Union Carbide Corporation believes that the data contained herein are factual and the opinions expressed are those of qualified experts regarding the tests conducted, the data are not to be taken as a warranty or representation for which Union Carbide Corporation assumes legal responsibility. They are offered solely for your consideration, investigation, and verification. Any use of these data and information must be determined by the user to be in accordance with applicable Federal, State, and local laws and regulations.

UNION CARBIDE CORPORATION ■ LINDE DIVISION ■ 270 PARK AVENUE, NEW YORK, N.Y. 10017

75% Argon—25% Helium Mixture (High Pressure Gas Mixture)

V. HEALTH HAZARD DATA

THRESHOLD LIMIT VALUE

See Section II.

EFFECTS OF OVEREXPOSURE AND EMERGENCY AND FIRST AID PROCEDURES

Asphyxiation

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician. Keep warm and at rest.

VI, REACTIVITY DATA

STABILITY	CONDITIONS TO	AVOID	
Unstable Stable	See Section	IX.	
X			
INCOMPATIBILIT	「Y (materials to avo	id) None known	
HAZARDOUS DE	COMPOSITION PR	RODUCTS	
		None known	
	N VMEDIZATION	CONDITIONS TO AVOID	
HAZARDOUS POLYMERIZATION CONDITIONS TO AVOID			
May Occur	Will not Occur		
4	X	None known	

VII. SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED Evacuate all personnel from danger area. Use self-contained breathing apparatus where needed. Shut off leak if without risk. Ventilate area of leak or move leaking container to well ventilated area. Test area, especially confined areas, for sufficient oxygen content prior to permitting re-entry of personnel.

WASTE DISPOSAL METHOD

Slowly release into atmosphere outdoors.

VIII. SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION (specify type)

Self-contained breathing apparatus where needed.

	LOCAL EXH	AUST Preferred	SPECIAL
VENTILATION		r referred .	
VENTILATION	MECHANICA	AL (general)	OTHER
		Adequate	
PROTECTIVE GLOVES Preferred for cylinder handling.		EYE PROTECTION	
OTHER PROTEC	CTIVE EQUIP		Safety glasses

IX. SPECIAL PRECAUTIONS

CAUTION: High pressure gas mixture. Use piping and equipment adequately designed to withstand pressures to be encountered. Gas can cause rapid suffocation due to oxygen deficiency. Store and use with adequate ventilation. Close valve when not in use and when empty.

Do not strike arc on cylinder. Do not ground cylinder.

OTHER HANDLING AND STORAGE CONDITIONS

When used for electric welding or cutting refer to Linde s free form F52-529 "Precautions and Safe Practices for Electric Welding and Cutting"